
FB22
FLAT BRACKET VESA200



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 1


FB22
FLAT BRACKET VESA200


future automation


SPECIFICATION	MEASUREMENTS
Product Dimensions	214mm (8.4") x 214mm (8.4") x 15mm (0.6")
Maximum Screen Size	Up to 47" Screens
Maximum Weight Capacity	40Kg (88lb)
Depth From Wall	15mm (0.6")
Mounting Patterns Supported	VESA 200, 100, 75 W x 200, 100, 75 H
Package Contents	Mount, Bolt Pack

FB22
FLAT BRACKET VESA200

DIMENSIONS








UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 3

FB22
FLAT BRACKET VESA200

RECESS MOUNTING

To mount in a recess you will need a minimum of 35mm [1.4in] above the top edge of the screen to be able to hook the bracket together.




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 4

FB22
FLAT BRACKET VESA200

EXPLODED VIEW



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 5