

FB80
FLAT BRACKET 80

future automation





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 1


FB80
FLAT BRACKET 80


SPECIFICATION	MEASUREMENTS
Product Dimensions HxD	735mm (28.9") x 25mm (1.0")
Screen Sizes	80'' - 100''
Maximum Weight Capacity	120Kg (265lb)
Product Weight	5.3Kg (11.7lb)
Packaging Dimensions	800mm (31.49") x 220mm (8.66") x 40mm (1.57")
Shipping Weight	6Kg (13lb)
Movement Type	Static
Package Contents	Mechanism
Marine Suitable	Yes (indoor)


FB80
FLAT BRACKET 80

DIMENSIONS

NOTE:
IT IS POSSIBLE TO INSTALL THE WALL BRACKETS SO THAT THE UPRIGHTS REST CENTRALLY ON THEIR RESPECTIVE WALL BRACKET.







UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 3


FB80
FLAT BRACKET 80


MOUNTING

WALL MOUNTS ARE ATTACHED ONTO THE WALL, WHILST UPRIGHTS ARE ATTACHED TO THE TV.

TV IS THEN HOOKED ONTO THE WALL PLATES AND ADJUSTED WITH BOTTOM BOLT.

REFER TO THE INSTRUCTION SHEET FOR DETAILS ON THIS.







UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 4


FB80
FLAT BRACKET 80

RECESS MOUNTING






SECTION A-A



DETAIL B
SCALE 1 : 5

SUGGESTED 35mm (1.4") GAP AROUND SCREEN PERIMETER. HOOK OVER SYSTEM REQUIRES 15mm [0.6].

LARGER GAP MAY BE NEEDED FOR EXTRA VENTILATION DEPENDING ON SCREEN TYPE.



DETAIL C
SCALE 1 : 5

WHEN MOUNTING IN A RECESS FOR MARINE INSTALLATION, ACCESS TO LOCKING BOLTS IS ESSENTIAL.

A REMOVABLE PANEL MAY BE REQUIRED.