
LXN4-D
LOXONE CONTROL PANEL DEEP - 4 RAIL

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 1


LXN4-D
LOXONE CONTROL PANEL DEEP - 4 RAIL

future automation


SPECIFICATION	MEASUREMENTS
Product Dimensions	900mm (35.4") x 690mm (27.2") x 187mm (7.3")
Number of DIN Rails	4
Finish (Custom Available)	Lid - Black (RAL9005) Textured Paint, Box - Zintec Coated Steel
Depth From Wall	187mm (7.3")
Wall Mount Type	8mm (0.31") Keyhole Slots
Shipping Dimensions	1010mm (39.8") x 840mm (33.0") x 285 (11.2")
Shipping Weight	31Kg (68.2lbs)


LXN4-D
LOXONE CONTROL PANEL DEEP - 4 RAIL

DIMENSIONS





BOTTOM TWO DIN RAIL LOCATIONS
SUPPLIED WITH 60/40 SPLIT RAIL
SECTIONS FOR DEEP MODULE/PSU MOUNTING





SECTION A-A






UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 002
SHEET 3

LXN4-D
LOXONE CONTROL PANEL DEEP - 4 RAIL

COVER PANEL AND OPTIONAL EXTRAS




OPTION - TRIM COVERS
BLANK & SLOT SIZES 157,228, 319, 371 & 458mm.
ALLOWS FOR NEAT FINISHING WITH DIFFERENT SET UPS OF BREAKER AND MODULES



OPTION - ADDITIONAL EARTH/NEUTRAL BARS & TRUNKING
TRUNKING CAN BE ADDED TO TOP AND BOTTOM ENDS OF PANEL ALONG WITH EARTH/NEUTRAL BARS IN REMAINING SPACES

S = STANDARD FITMENT
O = OPTIONAL



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 4