
MDM-H - SPLIT - T2236

MOVING DOOR MECHANISM WITH CLUTCH



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 001
SHEET 1

MDM-H - SPLIT - T2236
MOVING DOOR MECHANISM WITH CLUTCH


future automation

GENERAL DIMENSIONS


MDM is fixed from underneath through the mounting holes shown. 10mm [3/8"] Maximum length of fixing head.



SECTION C-C



DETAIL B



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 001
SHEET 2

MDM-H - SPLIT - T2236
MOVING DOOR MECHANISM WITH CLUTCH


future automation

PANEL DIMENSIONS


OPEN POSITION



CLOSED POSITION



Hanger Adjustment
Loosen the nuts and raise or lower to desired position




DETAIL D

MDM-H - SPLIT - T2236
MOVING DOOR MECHANISM WITH CLUTCH

future automation

SWITCH ADJUSTMENT



The limit switches can be adjusted using an allen key. Undo the bolts and slide switch to desired position.

DETAIL D

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 4