
MDM-H - SPLIT - T2300

MOVING DOOR MECHANISM WITH CLUTCH




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 1


MDM-H - SPLIT - T2300
MOVING DOOR MECHANISM WITH CLUTCH

GENERAL DIMENSIONS


MDM is fixed from underneath through the mounting holes shown. 10mm [3/8"] Maximum length of fixing head.




DETAIL B
SCALE 1 : 4



SECTION C-C





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 001
SHEET 2


MDM-H - SPLIT - T2300
MOVING DOOR MECHANISM WITH CLUTCH

future automation


PANEL DIMENSIONS

OPEN POSITION





CLOSED POSITION




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 3


MDM-H - SPLIT - T2300
MOVING DOOR MECHANISM WITH CLUTCH

SWITCH ADJUSTMENT



DETAIL D

The limit switches can be adjusted using an allen key. Undo the bolts and slide switch to desired position.



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET