

PH2
PROJECTOR HINGE MECHANISM

future automation





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 009
SHEET 1


PH2
PROJECTOR HINGE MECHANISM


future automation

SPECIFICATION	MEASUREMENTS
Maximum Projector Dimensions	470x480x220mm (18 1/2" X 18 7/8" X 8 11/16")
Shipping Dimensions	1000x900x600mm (39 3/8" X 35 7/16" X 23 5/8")
Maximum Projector Weight	50Kg (110lb)
Shipping Weight	100Kg (220lb)
Movement Type	Motorised
Standard Finish	Powder-coated black
Noise level	52db
Power Supply Required	110V - 240V AC
Control Options	IR Remote, RS232, Contact Closure, RF Available
Product Options / Features	Custom RAL paint finishes
Package Contents	Mechanism, IR remote control

PH2
PROJECTOR HINGE MECHANISM

MOUNTING OPTIONS






Mechanism is supplied with hardware to allow projector to be mounted in an inverted configuration.


This can be removed and projector can be mounted to the base of the hinging panel.


PH2
PROJECTOR HINGE MECHANISM


CABINET DESIGN





For future servicing the mechanism requires a removable front panel.












These apertures allow flexibility for projecter cable entry.


Mechanism wiring loom exits out the bottom.


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


PH2
PROJECTOR HINGE MECHANISM


CABINET DESIGN












INVERTED PROJECTOR ORIENTATION




STANDARD PROJECTOR ORIENTATION


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 009
SHEET 5

PH2
PROJECTOR HINGE MECHANISM

MOUNTING MECHANISM









UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 009
SHEET 6


PH2
PROJECTOR HINGE MECHANISM


MECHANISM RECOVERY






PH2
PROJECTOR HINGE MECHANISM
MAXIMUM PROJECTOR SIZE






DETAIL D




SECTION C-C





IMPORTANT: The maximum projector dimensions shown do not account for cables or connectors.

Make sure there is enough room for cables including cable bend radius.

PH2
PROJECTOR HINGE MECHANISM







NOTES

CABLE LOOM LENGTH SUPPLIED AT APPROX.. 3m [118"]

CONTOL BOX MUST BE LOCATED IN AN EASILY ACCESSIBLE LOCATION

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 009
SHEET 9