
# PIC-H1
## PICTURE LIFT HEAVY

future automation



**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

**TECHNICAL SHEET**
ISSUE 007
SHEET 1


# PIC-H1
## PICTURE LIFT HEAVY


future automation

| SPECIFICATION | MEASUREMENTS |
|---|---|
| Product Dimensions | 910mm (35 13/16") x 1012mm (39 13/16") x 121mm (4 3/4") |
| Maximum Weight Capacity | 35Kg (77lb) |
| Maximum Travel | 710mm (27 15/16") |
| Product Weight | 14Kg (30lb) |
| Packaging Dimensions | 1270mm (50") x 280mm (11") x 220mm (8 11/16") |
| Shipping Weight | 16Kg (35lb) |
| Movement Type | Motorised |
| Power Supply Required | 110V - 240V AC |
| Power Consumption Max. | 140W |
| Power Consumption Standby | 3W |
| | |
| Control Options | IR Remote, RS232, Contact Closure |
| Product Options / Features | Custom RAL paint finishes |
| Package Contents | Mechanism, IR remote control |
| Marine Suitable | No |

# PIC-H1
# PICTURE LIFT HEAVY

## MECHANISM DETAILS










**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

# PIC-H1
## PICTURE LIFT HEAVY

### MOUNTING DETAILS





DETAIL C


**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


**TECHNICAL SHEET**
ISSUE 007
SHEET 4

# PIC-H1
# PICTURE LIFT HEAVY

## MECHANISM DIMENSIONS









**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


**TECHNICAL SHEET**
ISSUE 007
SHEET 5


# PIC-H1
# PICTURE LIFT HEAVY

## CONTROL BOX DETAILS




**NOTES**

- POWER SUPPLY UNIT (PSU) WILL ALLOW 110V OR 240V AC INPUT. THE SAME PSU IS USED FOR EU OR US MAINS SUPPLIES.
- OTHER THAN CONTROL CABLES, ALL CABLES TERMINATE AT CONTROL BOARD VIA STANDARD PHOENIX CONNECTORS.
- CABLE LOOM LENGTH SUPPLIED AT APPROX. 2m [78 3/4"]. LOOM CAN BE EXTENDED UP TO MAXIMUM OF APPROX. 10m [400"].
- MINIMUM CABLE BEND RADIUS 25mm [1"].

**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET