
PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 004
SHEET 1

PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

SPECIFICATION	MEASUREMENTS
Product Dimensions	557mm (21 15/16") x 700mm (27 9/16") x 56mm (2 3/16")
Screen Sizes	40" - 75"
Maximum Weight Capacity	60Kg (132lb)
Maximum Extension From Wall	400mm (15 3/4")
Depth From Wall	56mm (2 3/16")
Product Weight	11.5Kg (25.4 lb)
Packaging Dimensions	TBC
Shipping Weight	TBC
Maximum Rotation	45° - bi-directional with 43" screen - 38° with 55" - 32° with 65" - 27° with 75"
Movement Type	Manual
Mounting Patterns Supported	VESA 400, 300, 200 W x 400, 300, 200, 100 H
Product Options / Features	Specific B&O and Loewe mounts / adapters, Custom RAL paint finishes, Marine suitable version
Package Contents	Mechanism, cable routing bosses
Marine Suitable	Yes
Outdoor Suitable	Yes


PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

SCREEN ANGLES


THE VIEWS BELOW SHOW THE APPROPRIATE MAXIMUM SWIVEL ANGLES ACHIEVABLE FOR VARYING SCREEN SIZES.

NOTE: THE MAXIMUM SWIVEL ANGLE ACHIEVABLE IS 50° REGARDLESS OF THE SCREEN SIZE.


43"




55"



65"




75"




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET


GENERAL DIMENSIONS



CLOSED POSITION



FULL EXTENSION




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 004
SHEET 4

PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

CABLE ROUTING



NOTE: MARINE CATCH HIDDEN




SOCKETS SHOULD BE PLACED OUTSIDE OF THE MECHANISM FOOTPRINT
FOR EASIER CABLE ROUTING.

PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

future automation

MOUNT PLATE DIMENSIONS




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 004
SHEET 6


PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET


future automation


MARINE LOCK












UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 004
SHEET 7


PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

future automation

SCREEN ADJUSTMENT



TILT THE PS BRACKET BY ADJUSTING THE LEVELLING BOLTS



NOTE: UPRIGHTS CAN BE REVERSED TO ALLOW FOR SMALLER VESA PATTERNS


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

MARINE CATCH CABLE ROUTING


CABLE ROUTING BOSSES PROVIDED TO ROUTE MARINE CATCH CABLES.


4 x CABLE ROUTING BOSS






WITHOUT BOSSES: CABLES HANG BELOW THE SCREEN





WITH BOSSES: CABLE ROUTING TO THE SIDES OF THE SCREEN



WITH BOSSES: CABLE ROUTING TO THE TOP OF THE SCREEN


NOTE: THIS ORIENTATION WILL INCREASE PULLING FORCE REQUIRED TO RELEASE MARINE CATCHES

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

FRICTION ADJUSTMENT


ADJUST THE STIFFNESS OF BOTH THE PULL-OUT AND SWIVEL FUNCTION.




TOP FRICTION ADJUSTMENT BOLT



ADJUST THE TOP FRICTION BOLT TO CHANGE THE STIFFNESS OF THE PULL-OUT FUNCTION.



ADJUST THE BOTTOM FRICTION BOLT TO CHANGE THE STIFFNESS OF THE SWIVEL FUNCTION.




BOTTOM FRICTION ADJUSTMENT BOLT


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

PS40-MO
MARINE OUTDOOR PULL & SWIVEL BRACKET

MARINE CATCH CABLE ROUTING

CABLE ROUTING BOSS KIT







4 x CABLE ROUTING BOSSES ARE **PROVIDED** AS STANDARD WITH THE MARINE PS BRACKET.

ADDITIONAL SETS CAN BE PURCHASED WITH CODE **CRB-PS-M**

BALL & SOCKET KIT







SETS OF 4 x BALL AND SOCKET CATCES TO BE USED WITH THE MARINE PS BRACKET TO RETAIN AND STABLISE THE SCREEN EDGES.

FOR FULL DETAILS, REFER TO **BS-PS-M** TECHNICAL SHEET.

RUBBER POST KIT





SETS OF 4 x RUBBER SCREEN POSTS TO BE USED WITH THE MARINE PS BRACKET TO STABLISE THE SCREEN EDGES.

FOR FULL DETAILS, REFER TO **RP-PS-M** TECHNICAL SHEET.

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET