
# PS80 SAM 114"
## CUSTOM PULL & SWIVEL

future automation



**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

**TECHNICAL SHEET**
ISSUE 001
SHEET 1

# PS80 SAM 114"
## CUSTOM PULL & SWIVEL


future automation


| SPECIFICATION | MEASUREMENTS |
|---|---|
| | |
| Maximum Weight Capacity | 120Kg (265lb) |
| Maximum Extension From Wall | 569mm (22 3/8") |
| Depth From Wall | 84mm (3 5/16") |
| Packaging Dimensions | 1270 x 380 x 200mm (50" x 14 15/16" x 7 7/8") |
| Shipping Weight | 20Kg (44lb) |
| Movement Type | Manual |
| | |
| Product Options / Features | Specific B&O and Loewe mounts / adapters, Custom RAL paint finishes, WB80 |
| Package Contents | Mechanism |
| Marine Suitable | No |

# PS80 SAM 114"
## CUSTOM PULL & SWIVEL

future automation

### GENERAL DIMENSIONS





**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

**TECHNICAL SHEET**
ISSUE 001
SHEET 3

# PS80 SAM 114"
## CUSTOM PULL & SWIVEL

future automation

### WALL PLATE DIMENSIONS




**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

**TECHNICAL SHEET**
ISSUE 001
SHEET 4


# PS80 SAM 114"
## CUSTOM PULL & SWIVEL


future automation

### RECESS MOUNTING

When recess mounting a screen on the PS80 the gap around the edge can be as little as 5mm [3/16"]. Ventilation would have to be provided by opening the top and maybe the bottom of the recess.

A larger gap of 50mm [1 15/16"] around the screen would enable extra ventilation and enough space for finger access to manoeuvre the screen if required.



**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

**TECHNICAL SHEET**
ISSUE 001
SHEET 5


# PS80 SAM 114"
## CUSTOM PULL & SWIVEL

future automation

### MOUNTING DETAILS


The whole area of the wall plate needs to be well supported. Ideally solid plaster over brickwork.

If mounting to a stud work wall its important to have 2 vertical studs behind on both sides of the wall plate. See details A & B.




DETAIL A


Pulling forces of twice the screens weight can be exerted here.




DETAIL B

Pushing forces of twice the screens weight can push here.







**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


**TECHNICAL SHEET**
ISSUE 001
SHEET 6

# PS80 SAM 114"
## CUSTOM PULL & SWIVEL

future automation

### MOUNTING DETAILS




**UK** +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

**TECHNICAL SHEET**
ISSUE 001
SHEET 7