
PS80 TCL 115"
CUSTOM PULL & SWIVEL

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 1

PS80 TCL 115"
CUSTOM PULL & SWIVEL


future automation


SPECIFICATION	MEASUREMENTS
Maximum Weight Capacity	120Kg (265lb)
Maximum Extension From Wall	569mm (22 3/8")
Depth From Wall	84mm (3 5/16")
Packaging Dimensions	1270 x 380 x 200mm (50" x 14 15/16" x 7 7/8")
Shipping Weight	20Kg (44lb)
Movement Type	Manual
Product Options / Features	Specific B&O and Loewe mounts / adapters, Custom RAL paint finishes, WB80
Package Contents	Mechanism
Marine Suitable	No

PS80 TCL 115"
CUSTOM PULL & SWIVEL

future automation

GENERAL DIMENSIONS






UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 3

PS80 TCL 115"
CUSTOM PULL & SWIVEL

future automation

WALL PLATE DIMENSIONS



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 4


PS80 TCL 115"
CUSTOM PULL & SWIVEL


future automation

RECESS MOUNTING

When recess mounting a screen on the PS80 the gap around the edge can be as little as 5mm [3/16"]. Ventilation would have to be provided by opening the top and maybe the bottom of the recess.

A larger gap of 50mm [1 15/16"] around the screen would enable extra ventilation and enough space for finger access to manoeuvre the screen if required.





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 5


PS80 TCL 115"
CUSTOM PULL & SWIVEL

future automation

MOUNTING DETAILS


The whole area of the wall plate needs to be well supported. Ideally solid plaster over brickwork.

If mounting to a stud work wall its important to have 2 vertical studs behind on both sides of the wall plate. See details A & B.




DETAIL A


Pulling forces of twice the screens weight can be exerted here.




DETAIL B

Pushing forces of twice the screens weight can push here.








UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 001
SHEET 6

PS80 TCL 115"
CUSTOM PULL & SWIVEL

future automation

MOUNTING DETAILS





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 001
SHEET 7