
V74-MO
MARINE OUTDOOR FIXED WALL MOUNT

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
WWW.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 1

V74-MO
MARINE OUTDOOR FIXED WALL MOUNT

future automation


SPECIFICATION	MEASUREMENTS
Product Dimensions WxHxD	730mm (28.7") x 154mm (20.2") x 12.5mm (0.5")
Bolt Pattern (VESA)	Up to 700x400
Product Weight	2.9Kg (6.4lb)
Packaging Dimensions	750mm (29.5") x 140mm (5.5") x 40mm (1.5")
Shipping Weight	3Kg (7lb)
Screen Sizes (approx)	40'' - 75''
Package Contents	Mechanism
Marine Suitable	Yes (Indoor)

V74-MO
MARINE OUTDOOR FIXED WALL MOUNT


DIMENSIONS

This bracket supports all VESA formats up to VESA 700x400.

Maximum bolt pattern dimensions achievable with the V74 are 700mm wide x 400mm high.



WALL PLATE



BOTTOM BAR REQUIRED FOR
MARINE APPLICATIONS


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
WWW.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 3

V74-MO
MARINE OUTDOOR FIXED WALL MOUNT


SIMPLE WALL MOUNTING


STEP 1



FIX UPRIGHTS TO THE BACK OF THE SCREEN AND ADD ON THE TOP BAR


STEP 2





FIX WALL PLATE, AND BOTTOM BAR, TO WALL WITH SUITABLE FIXING

STEP 3



HOOK THE TOP BEAM INTO THE WALL PLATE AND SLIDE OVER LOCK TAB TO SECURE

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


V74-MO
MARINE OUTDOOR FIXED WALL MOUNT

RECESS MOUNTING

Any recess should incorporate a minimum 15mm border around the screen so that it can be hooked onto the wall plate.

The screen will drop down 10mm when hooked onto the wall plate.

In order to have the screen face flush with the wall the recess will need a depth of 12.5mm plus the depth of the screen.



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 5