VIT3 - Vitrea Control Panel - 3 Rail Enclosure


Technical Sheet


DESIGN HIGHLIGHTS

- Full Cable Managing Trunking
- Easy Installation / Mounting
- Removable Front Cover
- Reversible Locking Vented Door


OPTIONS


- 3 Standard Size Options
  VIT3 - 3 DIN RAILS
  VIT4 - 4 DIN RAILS
  VIT5 - 5 DIN RAILS







ENCLOSURE DIMENSIONS











ENCLOSURE DIMENSIONS









[21.7]
550
[19.7]
500
[29.5]
750
[20.7]
525
[12.8]
325
[6.9]
175
[4.9]
125
[2.0]
50
[0.0]
0
[4.2]
107.4
[7.3]
185.6
future automation



50 x 75mm
CABLE TRUNKING
29 DIN
LONG RAILS
30 x 75mm
CABLE TRUNKING
2 X EARTH BARS
METAL ENCLOSURE

FRONT COVER AND PANEL COVERS

Front cover and panel cover options to suit different set ups

COVER PANEL CONFIGURATIONS SLOT SIZES 157, 228, 319, 371 & 458mm. ALLOWS FOR NEAT FINISHING WITH DIFFERENT SET UPS OF BREAKER AND MODULES





future automation
VITREA

REVERSIBLE DOOR OVERVIEW

Door shown opening towards right hand side

In order to switch to left hand side opening, simply remove front cover panel and swap latch bracket and hinge outers over

