
WB-DA4
WALL BOX FOR DA4

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 1

WB-DA4
WALL BOX FOR DA4

future automation


SPECIFICATION	MEASUREMENTS
Product Dimensions (WxHxD)	877mm (34 1/2") x 787mm (31") x 99mm (3 7/8")
Product Weight	15kg (33lb)
Packaging Dimensions	920mm (36 1/4") x 860mm (33 7/8") x 220mm (8 11/16")
Shipping Weight	17kg (37lb)
Mounting Patterns Supported	VESA 400, 300, 200, 100 W x 400, 300, 200, 100 H
Product Options / Features	Specific B&O and Loewe mounts / adapters, Custom RAL paint finishes
Package Contents	1x Wall Box, 1x Pair of Accessory Clamps, 1x Buffer Stop, 2x Horizontal Wall Trim Strips , 2x Vertical Wall Trim Strips & Bolt Pack
Marine Suitable	No


WB-DA4
WALL BOX FOR DA4


ACCESSORY MOUNTING


The WB-DA4 features easily adjustable accessory clamps and mounting space for AV accessories.

To access the mounting space, the DA4 must first be moved to the out position.










SECTION B-B



SECTION C-C


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 003
SHEET 3

WB-DA4
WALL BOX FOR DA4

CABLE ROUTING

Cables can be run along the top or bottom arms as shown.
Secure the cables using cable ties and make sure to allow slack at pivot points.






UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 003
SHEET 4

WB-DA4
WALL BOX FOR DA4


GENERAL DIMENSIONS

IN POSITION





OUT POSITION




SECTION A-A


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 003
SHEET 5


WB-DA4
WALL BOX FOR DA4

WALL BOX MOUNTING DIMENSIONS










UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 6

WB-DA4
WALL BOX FOR DA4

WALL FRAMING DIMENSIONS

Horizontal studs should be used, with the Wall Box
fixed through the three top and three bottom fixing holes.



INSERT THE WALL BOX INTO THE VOID AS SHOWN
THEN SECURE THROUGH FIXING HOLES

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 7