
WB21
WALL BOX 21

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 006
SHEET 1


WB21
WALL BOX 21


SPECIFICATION	MEASUREMENTS
Product Dimensions (in wall)	532 x 353 x 96.5mm (21 x 14 x 3.8")
PS Bracket Compatibilty	PS40
Packaging Dimensions	425 x 600 x 185mm (16.73 x 23.62 x 7.28")
Shipping Weight	6.5Kg (14lb)
Product Options / Features	Custom RAL paint finishes, WB26, WB31
Package Contents	1 x Wall box, 2 x Pairs of clamp brackets, 2 x PS bracket mount rails, 2 x Horizontal trim strips, 2 x Vertical trim strips, 1 x WattBox mount bracket set
Marine Suitable	No


WB21
WALL BOX 21

DIMENSIONS

Contents include:
- 1 x Wall box
- 2 x Pairs of clamp brackets
- 2 x PS bracket mount rails
- 2 x Horizontal trim strips
- 2 x Vertical trim strips
- 1 x WattBox mount bracket set







UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 006
SHEET 3


WB21
WALL BOX 21


ACCESSORY MOUNTING FEATURES


The WB 21 features adjustable accessory clamps and a large mounting space that means it is perfectly suited to a wide variety of AV accessories.


The removable plate and provided mounting brackets allow the WattBox WB-200/300VB to be mounted into the lower face of any size Wall Box**.**

These include:
- Samsung One Connect
- Power conditioners e.g BlueBolt SM-3 Pro
- Baluns
- Small audio converters
- Apple TV
- Roku
- SnapAV OVRc compact power conditioner









UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 006
SHEET 4

WB21
WALL BOX 21

PS BRACKET INSTALLATION FEATURES


DEPTH ADJUSTMENT

The bracket mount rail has two fixing positions that allow the space behind the PS bracket to be increased or decreased as desired to accommodate accessories.



LATERAL ADJUSTMENT

The bracket mount rail has slots on the front face to allow the PS bracket to shift laterally so that its location relative to the studs can be fine tuned.




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET


TECHNICAL SHEET
ISSUE 006
SHEET 5

WB21
WALL BOX 21

PS40 BRACKET MOUNTING

The PS40 has one central mounting position within the WB21 wall box.





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 006
SHEET 6