

WT-ZIPP-HB-52


SMALL ZIPPED WINDOW TREATMENT IN HEADBOX


WT-ZIPP-HB-52

52mm Tube - Mounted in 100mm [3 16/16] x 106mm [4 3/16"] Headbox
Approx 3.2m [126"] Max Width, 2.0m [78 3/4"] Max Drop; Upto 6.5sq/m [70sq/ft]
Upto 70mm [2 3/4"] Max Rollup Diameter *(including retaining edge zip)*









DETAIL 2
(SIDE CHANNELS)
SCALE 1 : 2

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

Please note that information is subject to change, check Website for latest technical information or email info@futureautomation.net


TECHNICAL SHEET
ISSUE 002
SHEET 1

WT-ZIPP-HB-52

SMALL ZIPPED WINDOW TREATMENT IN HEADBOX

future automation

WT-ZIPP-HB-52



WT-ZIPP-HB - Gravity Roller Shade with Zipped Side Channels and Aluminium Headbox

Shade Width (mm)

Shade Drop (mm)	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200	3400	3600	3800	4000	4200	4300
600	WT-ZIPP-HB-52																			
800																				
1000																				
1200																				
1400																				
1600																				
1800																				
2000																				
2200	WT-ZIPP-HB-75																			
2400																				
2600																				
2800																				
3000																				
3200																				
3400																				
3600																				
3800																				
4000	WT-ZIPP-HB-CUSTOM																			
4200																				
4400																				
4600																				
4800																				
5000																				
5200																				
5400																				
5600																				
5700																				


The above table is a size guide only and maximum dimensions are dependent on fabric and motor specifications.
Please check with Future Automation for a confirmed specification

WT-ZIPP-HB-52
SMALL ZIPPED WINDOW TREATMENT IN HEADBOX

future automation

MOUNTING


Different fitting options require different measurements and installations. Shades can be mounted in a pocket, inside the window reveal or outside the reveal.



POCKET / RECESS | INSIDE MOUNT | OUTSIDE MOUNT

MOTOR SIDE

Motor drive can be specified to be installed on left or right depending on location of cabling or power points.
(always when looking at window)




MOTOR LEFT


MOTOR RIGHT

ROLL DIRECTION

Certain installations may require the shade to be mounted in the other orientation to clear door or window hardware and will affect how the shade is manufactured.




STANDARD (OFF THE BACK)



REVERSE (OFF THE FRONT)

HEMBAR SELECTION

1. Open Pocket - Round Bar (Non Zip Only)
2. Open Pocket - Flat Oval (Non Zip Only)
3. Small Exposed (Non Zip Only)
4. **Medium Exposed - Chamfered (Zip / Non Zip)**
5. Medium Exposed - Square (Zip / Non Zip)
6. Large Exposed - Square (Zip / Non Zip)
7. Designer Tapered (Non Zip Only)



1. 2. **3.** 4. 5. 6. 7.

UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

Please note that information is subject to change, check Website for latest technical information or email info@futureautomation.net